

SUPPLEMENT- PREFACE.

This supplement shows parts most of which are of British origin obtainable from Slough. There are two classifications as follows :-

1. Parts with numbers prefixed "B" but not followed by "E".

Example :- B.7858.X

Are standard on British cars only, but can be fitted to French cars.

radiator shell. Complete with wire mesh and chevrons, less motif. Main shell is now of brass and all parts chromium plated.

2. Parts with numbers prefixed "B" and followed by "E".

Example :- B.7298.X. E.

Suitable for British cars only, and are therefore only obtainable from Slough.

Oil pressure indicator switch.

It is not essential to use the order forms issued from Paris when ordering British parts, as only one order copy is required by Slough.

Dimensions of parts in this supplement are given in inches unless otherwise stated.

SUPPLEMENT - SECTION I.

1

Part No.	Description	No. per Assy.
B.1475.M. E	Fan belt.	1
B.1630.M. E	Distance piece, 5/8 O/Dia. x 27/64 I/Dia. x 1/2 long. For dynamo fixing bolt.	1
B.7268.M. E	Plug for oil pressure indicator switch. (Made from 88931 by drilling through 4mm. dia. hole, and tapping head 1/8 Briggs taper thread).	1
B.7405.M. E	Dynamo fixing bolt. Length under head 6-3/4, threaded 3/8 B.S.F.	1
B.7661.M. E	Carburettor complete, Solex downdraught type 35 FAIE. (See carburettor section).	1
B.7871.M. E	Adjusting strap for fan belt.	1
B.8437.M.	Screw-down greaser for water pump bush. (Replaces 4734.S on French cars).	1
B.8451.M. E	Oil filler cap assembly. (Same as 452762 except for inscription in English).	1
B.9191.M.	Air intake filter silencer. (Replaces 480342). When replacing 480342 by B.9191.M. order in addition one B.9320.M. Bracket.	1
B.9320.M.	Bracket for air intake filter silencer. (Fitted in place of 480344 when replacing 480342 by B.9191.M. In this case 480343 is not used).	1
B.9370.M.	Packing for air intake filter silencer. (Used with B.9191.M. only when this item has depressed flange).	1
B.9399.M. E	Distance piece, 5/8 O/Dia. x 27/64 I/Dia. x 3/32 thick. For dynamo fixing bolt.	1

2

SUPPLEMENT - SECTION II

Part No.	Description	No. per Assy.
B.7998.X. E	Trafficator cancelling stud.	1
B.8114.X.	Silencer complete with tailpipe.	1
B.8406.X.	Steering wheel, 2 spokes. (Replaces all previous 3 spoke wheels.)	1
B.8446.X.	Double lockwasher for drive shaft coupling flange.	4
B.9340.X. E	Bracket for accelerator control. (Fitted on bracket carrying Lockheed reservoir and starter motor solenoid switch.)	1

Part No.	Description	No. per Assy.
B. 443.A.	Petrol tank filler cap.	1
B. 841.A.	Wheelbrace.	1
B. 853.X. E	Carburettor starter control (choke).	1
B. 970.X. E	Securing clamp for 12 volt battery.	1
B.1085.X. E	Ignition switch and lock barrel	3
B.1249.X. E	Distance piece, $\frac{3}{8}$ O/Dia. x $1\frac{1}{32}$ I/dia. x $1\frac{1}{16}$ long. For distributor mounting.	1
B.1253.X. E	Rubber tube $\frac{1}{4}$ O/dia. x $\frac{3}{32}$ I/dia. Front carburettor to distributor suction unit.	1
B.1264.X. E	Gauge unit in petrol tank.	1
B.1431.X. E	Tray for 12 volt battery.	1
B.1573.X. E	Petrol pump. (With straight outlet union.)	1
B.1573/01.X. E	Diaphragm for petrol pump.	1
B.1574.X. E	Starter motor control. (For manual operated starter motors.)	1
B.1627.X. E	Panel lights switch.	1
B.1633.X. E	Cable complete for speedometer drive.	1
B.1634.X. E	Inner cable only for speedometer drive.	1
B.1674.A. E	Auxiliary wiring harness, L.H.	1
B.1671.A. E	Auxiliary wiring harness, R.H.	1
B.1735.A. E	Battery positive cable, 10 ins. long. (Battery to hull.)	1
B.1736.X. E	Battery negative cable, $35\frac{1}{2}$ long. (Battery to starter motor.)	1

SUPPLEMENT- SECTION III

Part No.	Description	No. per Assy.
B.1737.A. E	Junction box, 4-pole, with cover.	2
B.7294.A. L	Main wiring harness. (For use with manual operated starter.)	1
B.7299.A. E	Oil pressure indicator switch on crankcase.	1
B.7348.A. E	Starting handle.	1
B.7413.X. E	Instrument panel complete. 12 volt. "Three-in-one" unit comprising:- speedometer, petrol gauge, ammeter and clock.	1
B.7429.A. L	Oil pressure indicator light.	1
B.7442.A. E	Ash tray. (For facia board fitting.)	1
B.7613.A. E	Main wiring harness. (For use with manual operated starter.)	1
B.7791.X. E	Petrol tank only, less fittings	1
B.7859.A. E	Radiator shell. Complete with wire mesh and chevrons, less motif. Main shell is now of brass and all parts are chromium plated.	1
B.7884.A. L	Rubber washer, 3/4" Dia. x 5/16" Dia. x 1/4" thick. (This part is also used for front number plate fixing - 2 required.)	2
B.8009.A. E	Time clock, Jaeger separate square type.	1
B.8010.A. L	Petrol gauge head, Jaeger separate square type.	1
B.8011.A. E	Speedometer head, Jaeger separate square type.	1
B.8030.A. E	Road wheel, 165 x 400, pierced type.	5
B.8031.A. E	Embellisher, plated, for pierced type road wheel.	4
B.8076.A. L	Frame for square type instruments.	1

Part No.	Description	No. per Assy.
B.8084.X. E	Bracket for lighting and ignition switch. (For square type instrument frame.)	1
B.8092.X. E	Dynamo pulley.	1
B.8304.X. E	Gasket for petrol pump.	1
B.8372.X. E	Petrol pump. (With 90° outlet union.)	1
B.8449.X.	Wheel nut. (Suitable for all wheels on French or British cars except B.M. disc wheel.)	23
B.8663.X. E	Earthing strip, engine to hull.	1
B.8664.X. E	Battery positive cable, 14½ long. (Battery to earth.)	1
B.8673.X. E	Main wiring harness. (For use with separately mounted solenoid switch and single junction box.)	1
B.8675.X. E	Battery negative cable, 16 long. (Battery to solenoid switch.)	1
B.8676.X. E	Cable, 14½ long, with 5/16 dia. terminal eyelets at ends. (Solenoid switch to starter motor.)	1
B.8688.X. E	Packing washer, rubber, for regulator and fuse box. (Lucas box ref. 37031.A, mounted direct to hull, first type.)	1
B.8708.X. E	Packing washer, rubber for regulator and fuse box. (Lucas box ref. 37079.A, mounted direct to hull, second type.)	1
B.8762.X.	Front shockabsorber complete. (Newton & Bennett Mark 12000, replaces all previous series.)	2
B.8763.X.	Rear shockabsorber complete. (Newton & Bennett Mark 12000, replaces all previous series.)	2
B.8930.X.	Radiator block, improved 1949 type with brass tanks and tubes.	1
B.9375.X./02	Rubber bush for shockabsorber, improved type.	16
B.8935.X.	Rubber drain tube for radiator overflow.	1
B.8939.X. E	Main wiring harness. (For use with two junction boxes.)	1

6 SUPPLEMENT - SECTION III

Part No.	Description	No. per Assy.
B.8841.X. E	Instrument panel wiring harness. (For use with two junction boxes.)	1
B.9241.X.	Embellisher, plated, for B.M. type disc wheel. (This is the large embellisher B.8031.A. modified for fixing with existing centre screw, and is provided for owners of French or British cars who prefer the finish obtained with this fitment.)	4

Part No.	Description	No. per Assy.
132382	Rubber buffer, oblong, for bonnet and bottom of doors.	18
B.244.Y. E	Front number plate.	1
B.1454.Y. E	Rubber weather edge for windscreen.	1
B.1462.Y.	Rear luggage compartment door handle with lock and key.	1
B.1463.Y.	Rear luggage compartment door handle, non-locking.	1
B.1576.Y.	Rubber draught strip for bottom edge of rear doors.	2
B.1577.Y.	Rubber draught strip for bottom edge of front doors.	2
B.1596.Y. E	Ash tray. (For fitting on rear doors.)	2
B.1696.Y.	Glazing tape 1-1/4 x 5/64, for fitting windscreen glass to frame.	1
B.1698.Y.	Rubber buffer, round type, for upper part of body door opening.	8
B.2730.Y.	Glazing tape 1-1/2 x 1/16, for fitting windscreen glass to frame. (Alternative type.)	1
B.3251.Y. E	Interior lamp with bulb.	1
B.7196.Y.	Stoneguard for rear wing, R.H.	1
B.7197.Y.	Stoneguard for rear wing, L.H.	1
B.7293.Y.	Driving mirror, Trico, interior fitting on windscreen header bar.	1
B.7331.Y. E	Rubber drain tube, 13/16 O/Dia. x 5/8 I/Dia. x 36 long. For sliding roof, front.	2
B.7332.Y. E	Rubber drain tube, 13/16 O/Dia. x 5/8 I/Dia. x 59 long. For sliding roof, rear.	2
B.7336.Y. E	Sponge rubber strip, 3/8 x 3/4 x 31-1/2 long. For sliding roof edge.	1
B.7337.Y. E	Rubber "U" section between sliding roof tray and roof panel.	1

Part No.	Description	No. per Assy.
B.733E.Y. E	rubber tape, 3/4 x 1/16. For sliding roof, front edge.	1
B.7417.Y. E	Front bumper complete, 2-1/2 inch section.	1
B.7418.Y. E	Rear bumper complete, 2-1/2 inch section.	1
B.7433.Y. E	Spare wheel cover motif.	1
B.7506.Y. E	rear bumper bracket, R.H.	1
B.7507.Y. E	rear bumper bracket, L.H.	1
B.7654.Y.	Door outside handle, front R.H., with lock and key.	1
B.7655.Y.	Door outside handle, front L.H. and rear R.H., non-locking.	2
B.7656.Y.	Door outside handle, rear L.H., non-locking.	1
B.7776.Y. E	rear number plate and bracket. (Bracket made from steel strip.)	1
B.7846.Y. E	rear seat cushion complete.	1
B.7847.Y. E	rear seat squab complete.	1
B.7918.Y. E	Instrument board (facia) for cars with "three-in-one" instrument panel, B.7413.A. E	1
B.7997.Y. E	Sun visor complete, first type.	2
B.8075.Y. E	Sponge rubber strip, 3/4 x 3/8 x 42 long. For rear squab dust-proofing on exported cars only.	1
B.8076.Y. E	Sponge rubber strip, 3/4 x 3/8 x 36 long. For rear squab dust-proofing on exported cars only.	1
B.8077.Y. E	Sponge rubber strip, 3/4 x 3/8 x 15 long. For rear squab dust-proofing on exported cars only.	2
B.8080.Y. E	Garnish rail for instrument board.	1
B.8106.Y. E	rubber buffer for sliding roof.	1

Part No.	Description	No. per Assy.
B.8107.Y. E	Kubber grommet for stop and tail lamp.	1
B.8108.Y. E	Windscreen frame only, chromium plated.	1
B.8109.Y. E	Windscreen glass for frame B.8108.Y. E	1
B.8220.Y.	Interior door handle.	4
B.8221.Y.	Window winder handle.	4
B.8222.Y.	Escutcheon for interior door and window winder handles.	8
B.8373.Y.	Driving mirror, Desmo, interior fitting on windscreen header bar.	1
B.8448.Y. E	Change speed lever indicator plate.	1
B.8525.Y.	Windscreen opening control complete.	1
B.8525/01.Y.	Knob for windscreen opening control.	1
B.8525/02.Y.	Nut for windscreen opening control knob.	1
B.8629.Y.	Front door top weatherstrip, 59 inches long.	2
B.8630.Y.	Rear door top weatherstrip 41-3/4 inches long.	2
B.8689.Y. E	Front bumper complete, 3 inch section, curved.	1
B.8690.Y. E	Rear bumper complete, 3 inch section, curved.	1
B.8710.Y. E	Instrument board (facia), for cars with square type instruments.	1
B.8717.Y. E	Rear number plate and bracket. (Bracket formed from steel sheet.)	1
B.8871.Y. E	Tool box.	1
B.8877.Y. E	Spring catch for luggage platform.	1

Part No.	Description	No. per Assy.
B.8996.Y. E	Front seat catch slide.	
B.8998.Y. E	Front seat plain slide.	
B.9113.Y. E	Front seat floor slide.	
B.9116.Y.	Front seat cushion.	
B.9117.Y. E	Front seat with squab but less cushion.	
B.9352.Y. E	Front bumper complete, 3 inch section, straight.	
B.9353.Y. E	Rear bumper complete, 3 inch section, straight.	
B.9401.Y.	Sun visor complete, second type.	
B.9405.Y.	Driving mirror, interior fitting on windscreen bottom rail.	